



Attestation of Conformity

No. N8AUK 101567 0011 Rev. 00

Holder of Certificate: Curv360 Limited

Unit 1 Lakes Court, Lancaster Park, Newborough Road

Needwood

Burton on Trent, DE13 9PD

UNITED KINGDOM

Product: AC electric vehicle charging station

(Electric Vehicle Supply Equipment)

This Attestation of Conformity is issued on a voluntary basis according to the Electrical Equipment (Safety) Regulations 2016 relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the regulations and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64105223147201

Date, 2023-01-14

(Glenn Liu)

Glenn lin



After preparation of the necessary UK regulation technical documentation as well as the UK declaration of conformity the required UKCA marking can be affixed on the product. Other applicable UK regulations have to be observed.





Attestation of Conformity

No. N8AUK 101567 0011 Rev. 00

Model(s): EVA series

EVA-XXD-XX W

I: "EVA" denotes for basic model designation,

"EVA" can be: EVA: EVA series

II: "XXD" denotes for power, "XXD" can be:

07D: 7kW+7kW 11D: 11kW+11kW 22D: 22kW+22kW

III: "XX" denotes for vehicle connection method,

"XX" can be:

PE: vehicle connector with 5m cable

SE: type 2 socket-outlet

IV: "W" denotes for mounting means, "W" can be:

Blank: Ground mounted

W: Wall mounted

Brand: PROJECT EV







Attestation of Conformity

No. N8AUK 101567 0011 Rev. 00

Parameters:

Rated input Voltage (V):	For EVA-07D series: 1P+N+PE, 230Vac, 50Hz; For EVA-11D series: 3P+N+PE, 400Vac, 50Hz; For EVA-22D series: 3P+N+PE, 400Vac, 50Hz.
Rated input current(A):	For EVA-07D series: 32A+32A; For EVA-11D series: 16A+16A; For EVA-22D series: 32A+32A.
Output voltage (V):	Same as input voltage.
Output current (A):	Same as input current.
Output power(kW):	For EVA-07D series: 7kW+7kW; For EVA-11D series: 11kW+11kW; For EVA-22D series: 22kW+22kW.
Protection class:	Class I
Degree of protection:	For EVA-XXD-SEW models: IP55; For EVA-XXD-PEW models: IP65. (Vehicle connector IP54)
Working temperature (°C):	-25 ~ +50°C

Tested according to:

BS EN IEC 61851-1:2019



After preparation of the necessary UK regulation technical documentation as well as the UK declaration of conformity the required UKCA marking can be affixed on the product. Other applicable UK regulations have to be observed.

