

BC55NPB

Battery module specification

Configuration 16S1P Rated capacity 100Ah Rated energy 5.12kWh Rated voltage 51.2V Voltage range 44.8-58.4V Rated charge/discharge 0.5C Max. charge/discharge 1C AC internal resistance ≤8mΩ Dimension (W/H/D)

446.5/168/640mm

Weight 45kg

Battery rack specification

| Configuration | 6 battery modules | 7 battery modules | 8 battery modules | 9 battery modules | 10 battery modules | 11 battery modules |
|------------------------|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|
| | +1 BPU | +1 BPU |
| Rated capacity | 100Ah | 100Ah | 100Ah | 100Ah | 100Ah | 100Ah |
| Rated energy | 30.72kWh | 35.84kWh | 40.96kWh | 46.08kWh | 51.2kWh | 56.3kWh |
| Rated voltage | 307.2V | 358.4V | 409.6V | 460.8V | 512V | 563V |
| Voltage range | 268.8V-345.6V | 313.6V-403.2V | 358.4V-460.8V | 403.2V-518.4V | 448V-576V | 492.8V-642.4V |
| Rated charge/discharge | 0.5C | 0.5C | 0.5C | 0.5C | 0.5C | 0.5C |
| Max. charge/discharge | 1C | 1C | 1C | 1C | 1C | 1C |
| AC internal resistance | ≤48mΩ | ≤56mΩ | ≤64mΩ | ≤72mΩ | ≤80mΩ | ≤88mΩ |
| Display | 7"Touch screen | 7"Touch screen |
| BMS | Included | Included | Included | Included | Included | Included |
| Communication | CAN | CAN | CAN | CAN | CAN | CAN |
| Monitoring | RS485 | RS485 | RS485 | RS485 | RS485 | RS485 |
| Max. altitude | 3000m | 3000m | 3000m | 3000m | 3000m | 3000m |
| Dimension (W/H/D) mm | 1052/1627/850mm | 1052/1627/850mm | 1052/1627/850mm | 1052/1627/850mm | 1052/1627/850mm | 1052/1627/850mm |
| Weight | 474kg | 518kg | 562kg | 606kg | 650kg | 694kg |
| Protection degree | IP54 | IP54 | IP54 | IP54 | IP54 | IP54 |
| | | | | | | |

BMS parameters on LCD

Cell voltag Yes Cell high voltage Yes Battery SOC Yes Cell temperature Yes Charge and discharge current Yes Cell low voltage Yes Total battery voltage Yes Fault warning Yes

Protection

Short circuit protection Yes Over current protection Yes Over charge protection Yes Over temperature protection Yes Cell over voltage protection Yes Cell under voltage protection Yes Over discharge protection Yes

Certificate

CE, UL, UN38.3, IEC62619, MSDS, ROHS, CB